Author Index of Volume 39

Adams, W.A., 67, 83
Aiken, P. A., 67
Aldaz, A., 147
Anbu Kulandainathan, M., 263
Aquino, M., 203
Armenta-Deu, C., 95
Aurbach, D., 163

Balaramachandran, V., 263
Baochen, W., 255, 259
Barriga, C., 299
Bass, K., 273
Ben-Zion, M., 163
Bhatt, D. P., 107, 323
Bludská, J., 133, 313
Borong, Z., 255, 259
Brenet, J., 349
Butakov, A. A., 375

Cairns, E. J., 333
Cavallaro, S., 203
Changzhi, L.., 255, 259
Chen, J.-S., 333
Chidambaram, V. R., 113
Chieng, S. C., 11
Codina, G., 147

Darcy, E. C., 193
Donaire, T., 95
Donaldson, G. J., 83
Donepudi, V. S, 83

Findlay, R., 21
Freni, S., 203
Furukawa, N., 51, 239

Ganesan, M., 263
Giordano, N., 203
Gofer, Y., 163

Hanson, M., 21
Hargreaves, N. J., 215
He, Z.-L., 225, 233
Hill, I. R., 83
Hishimoto, K.-i, 43
Hornytzkyj, S., 59

Ichikawa, T., 185
Imanishi, N., 185
Itoh, Y., 239

Jakubec, I., 133, 313
Jayalakshmi, M., 113
Jindra, J., 179

Kalu, E. E., 193
Kanno, R., 185
Kapali, V., 263
Kazacos, M., 11
Kobayakawa, K., 43
Kodama, T., 285
Kojima, T., 285
Kordesch, K., 21
Kumar, G., 121, 155

Lavela, P., 299
Lopez-Atalaya, M., 147

MacLean, G. K., 67
Maffi, S., 299
McLarnon, F. R., 333
Mitchell, P. J., 273
Miyake, Y., 239
Miyazaki, Y. 285
Morales, J., 299
Mrha, J., 179
Muniyandi, N., 121, 155
Murakami, S., 239
Muralidharan, V. S., 113
Musilová, M., 179
Mustafin, R. V., 179

Nakane, I., 51
Nathira Begum, B., 113
Nishioka, M., 239
Nohma, T., 51

Ohashi, S., 185
Ohtori, N., 285
Okuyama, H., 285
Owen, J. R., 215

Peraldo Bicelli, L., 299
Perez, J. R., 147
Plomp, L., 369
Popva, Yu., 179
Pu, C., 225, 233

Sabapathi, R., 113
Saito, T., 239
Sarangapani, K. B., 263
Sato, Y., 43
Sheik Mideen, A., 263
Shu, Z. X., 67
Shukla, A. K., 249
Sibbald, A. M., 83
Sitters, E. F., 369
Sivashanmugam, A., 121
Skyllas-Kazacos, M., 1, 11
Smith, J., 273
Solomonov, V. B., 375
Srinivasan, S., 21
Stopka, P., 313
Sugumaran, N., 249

Takeda, Y., 185
Tanase, S., 285
Tanimoto, K., 285
Thurston, C. G., 215
Tirado, J. L., 299
Togashi, K., 43
Tomantschger, K., 21
Tsenter, B. I., 179
Tummavuori, J., 59

Udhayan, R., 107, 323

Vaganov, D. A., 375
Van der Molen, S. B., 369

Vasudevan, S., 155
Vazquz, J. L., 147
Veldhuis, J. B. J., 369
Venkatakrishna Iyer, S., 263
Vilhunen, J. K., 59
Vondrák, J., 133, 313

White, R. E., 193
Wilcox, G. D., 273

Xinsheng, P., 255

Yamamoto, O., 185
Yamamoto, Y., 51
Yanagawa, H., 43
Yanagida, M., 285

Zhong, S., 1
Zhou, W.-F., 225, 233

Subject Index of Volume 39

Accumulators
correlation between porous structure of separator and barodynamic characteristics of sealed lead/acid accumulators, 179
A.c. impedance
effect of Sb on semiconducting properties of anodic plumbous oxide film formed in sulfuric acid solution; studies with a.c. impedance, 233
Activation
role of activation on performance of Fe negative electrode in Ni/Fe cells, 113
Alkaline fuel cells
degradation modes of alkaline fuel cells and their components, 21
Aluminium
best alkaline electrolyte for Al/air batteries, 263
Anodes
C–Li anodes for Li secondary batteries, 185
Antimony
effect of Sb on semiconducting properties of anodic plumbous oxide film formed in sulfuric acid solution studies with a.c. impedance, 225
studies of photoelectrochemical current, 233
Arsenic
solutions of $LiAsFe_6$ in 1,3-dioxolane for secondary Li batteries, 163

Barodynamic characteristics
correlation between porous structure of separator and barodynamic characteristics of sealed lead/acid accumulators, 179
Battery(ies)
best alkaline electrolyte for Al/air batteries, 263
C–Li anodes for Li secondary batteries, 185
conductivity of low-temperature electrolytes for Mg batteries, 155
improvement of Li-containing Mn dioxide (composite dimensional Mn oxide: CDMO) as positive material for Li secondary batteries, 51
para-nitrotoluene as depolarizer for Mg batteries, 121
optimization studies on Fe/Cr redox flow battery, 147
preparation and evaluation of composite membrane for V redox battery applications, 11
solutions of $LiAsF_6$ in 1,3-dioxolane for secondary Li batteries, 163
statistical analysis of error function in determination of state-of-charge in lead/acid batteries, 95
Battery electrolyte
corrosion of Mg alloy in aqueous Mg perchlorate battery electrolyte; gasometry study, 107

Cadmium
preliminary evaluation of Ni/Cd cells for totally implantable ventricular assist device, 67
Carbon
C–Li anodes for Li secondary batteries, 185
Carbonate mixtures
cell performance of MCFC with alkali and alkaline-earth carbonate mixtures, 285
Cell(s)
all-solid-state Li/polyaniline rechargeable cell, 255
bulk thermal capacity determination for Li/BCX and $Li/SOCl_2$ cells, 193
degradation modes of alkaline fuel cells and their components, 21
low-Zn-solubility electrodes and electrolyts in Zn/Ag oxide cells, 333
microcalorimetric studies on Li thionyl chloride cells; temperature effects between 25 °C and −40 °C, 83
novel cell; Zn/dichloroisocyanuric acid in aqueous chloride medium, 323
preliminary evaluation of Ni/Cd cells for totally implantable ventricular assist device, 67

role of activation on performance of Fe negative electrode in Ni/Fe cells, 113
wound-type Li polyaniline secondary cell, 259
Cell performance
of molten-carbonate fuel cell with alkali and alkaline-earth carbonate mixtures, 285
Charge/discharge behavior
effect of nicotinamide on charge/discharge behavior of PbO_2 electrode in sulfuric acid solution, 43
Chemical composition
influence of raw material and production method on morphology, microstructure, chemical and phase composition of tetrabasic Pb sulfate pastes, 59
Chemical and electrochemical insertion
chemical and electrochemical Li insertion into ternary transition metal sulfides MMo_2S_4 (M: V, Cr, Fe), 299
Chromium
chemical and electrochemical Li insertion into ternary transition metal sulfides MMo_2S_4 (M: V, Cr, Fe), 299
optimization studies on Fe/Cr redox flow battery, 147
Chromium oxides
preparation and electrochemical properties of CrO_x both in Li and Na aprotic electrolytes, 133
Conductivity
of low-temperature electrolytes for Mg batteries, 155
Corrosion
of Mg alloy in aqueous Mg perchlorate battery electrolyte; gasometry study, 107
Current/potential data
novel approach for estimating electrode kinetic parameters of gas-diffusion electrodes using inflection point in steady-state current/potential data, 249

Degradation modes
of alkaline fuel cells and their components, 21
Depolarizer
para-nitrotoluene as depolarizer for Mg batteries, 121
Dichloroisocyanuric acid
novell cell; Zn/dichloroisocyaninuric acid in aqueous chloride medium, 323
Diffusional limitations
at Li polymer electrolyte interface, 215
1,3-Dioxolane
solutions of $LiAsF_6$ in 1,3-dioxolane for secondary Li batteries, 163

Electrochemical behaviour
of V(V)/V(IV) redox couple at graphite electrodes, 1
Electrochemical properties
preparation and electrochemical properties of chromium oxides CrO_x both in Li and Na aprotic electrolytes, 133
Electrochemical reactivity
experimental conditions for preparation of Mn dioxides with high oxidized capability and high electrochemical reactivity, 349
Electrode(s)
effect of nicotinamide on charge/discharge behavior of PbO_2 electrode in sulfuric acid solution, 43
electrochemical behaviour of V(V)/V(IV) redox couple at graphite electrodes, 1
increase of stability of Li_xCoO_2 electrodes of cointercalated Na, 313
low-Zn-solubility electrodes and electrolytes in Zn/Ag oxide cells, 333
performance of secondary Zn electrodes in modified alkaline electrolytes; galvanostatic studies in alkaline electrolyte, 273
role of activation on performance of Fe negative electrode in Ni/Fe cells, 113
Electrode kinetic parameters
novel approach for estimating electrode kinetic parameters of gas-diffusion electrodes using inflection point in steady-state current/potential data, 249
Electrolyte(s)
best alkaline electrolyte for Al/air batteries, 263
conductivity of low-temperature electrolytes for Mg batteries, 155
diffusional limitations at Li polymer electrolyte interface, 215
low-Zn-solubility electrodes and electrolytes in Zn/Ag oxide cells, 333
performance of secondary Zn electrodes in modified alkaline electrolytes; galvanostatic passivation studies in alkaline electrolyte, 273

preparation and electrochemical properties of chromium oxides CrO_x both in Li and Na aprotic electrolytes, 133
Energy balance
mass and energy balances in molten-carbonate fuel cell with internal reforming, 203
Error function
statistical analysis of error function in determination of state-of-charge in lead/acid batteries, 95
Explosions
mechanism of explosions of $Li/SOCl_2$ power sources, 375

Galvanostatic passivation studies
performance of secondary Zn electrodes in modified alkaline electrolytes, 273
Gas-diffusion electrodes
novel approach for estimating electrode kinetic parameters of gas-diffusion electrodes using inflection point in steady-state current/potential data, 249
Gasometry study
corrosion of Mg alloy in aqueous Mg perchlorate battery electrolyte; gasometry study, 107
Graphite
electrochemical behaviour of V(V)/V(IV) redox couple at graphite electrodes, 1

Interface
diffusional limitations at Li polymer electrolyte interface, 215
Iron
chemical and electrochemical Li insertion into ternary transition metal sulfides MMo_2S_4 (M: V, Cr, Fe), 299
optimization studies on Fe/Cr redox flow battery, 147
role of activation on performance of Fe negative electrode in Ni/Fe cells, 113

Lead
effect of nicotinamide on charge/discharge behavior of PbO_2 electrode in sulfuric acid solution, 43
influence of raw material and production method on morpholoby, microstructure, chemical and phase composition of tetrabasic Pb sulfate pastes, 59
Lesd/acid accumulators
correlation between porous structure of separator and barodynamic characteristics of sealed lead/acid accumulators, 179
Lead/acid batteries
statistical analysis of error function in determination of state-of-charge in lead/acid batteries, 95
Lithium
all-solid-state Li/polyaniline rechargeable cell, 255
bulk thermal capacity determination for Li/BCX and $Li/SOCl_2$ cells, 193
chemical and electrochemical Li insertion into ternary transition metal sulfides MMo_2S_4 (M: V, Cr, Fe), 299
C–Li anodes for Li secondary batteries, 185
diffusional limitations at Li polymer electrolyte interface, 215
improvement of Li-containing Mn dioxide (composite dimensional Mn oxide: CDMO) as positive material for Li secondary batteries, 51
increase of stability of Li_xCoO_2 electrodes of cointercalated Na, 313
mechanism of explosions of $Li/SOCl_2$ power sources, 375
microcalorimetric studies on Li thionyl chloride cells; temperature effects between 25 °C and −40 °C, 83
preparation and electrochemical properties of chromium oxides CrO_x both in Li and Na aprotic electrolytes, 133
solutions of $LiAsFe_6$ in 1,3-dioxolane for secondary Li batteries, 163
wound-type Li polyaniline secondary cell, 259

Magnesium
conductivity of low-temperature electrolytes for Mg batteries, 155
corrosion of Mg alloy in aqueous Mg perchlorate battery electrolyte; gasometry study, 107
para-nitrotoluene as depolarizer for Mg batteries, 121
Manganese
experimental conditions for preparation of Mn dioxides with high oxidizing

capability and high electrochemical reactivity, 349
improvement of Li-containing Mn dioxide (composite dimensional Mn oxide: CDMO) as positive material for Li secondary batteries, 51
Mass balance
mass and energy balances in molten-carbonate fuel cell with internal reforming, 203
Membrane
preparation and evaluation of composite membrane for V redox battery applications, 11
Microcalorimetric studies
on Li thionyl chloride cells; temperature effects between 25 °C and −40 °C, 83
Microstructure
influence of raw material and production method on morphology, microstructure, chemical and phase composition of tetrabasic Pb sulfate pastes, 59
Molten-carbonate fuel cell
cell performance of MCFC with alkali and alkaline-earth carbonate mixtures, 285
improvement of MCFC lifetime, 369
mass and energy balances in molten-carbonate fuel cell with internal reforming, 203
Morphology
influence of raw matrial and production method on morphology, microstructure chemical and phase composition of tetrabasic Pb sulfate pastes, 59

Nickel
preliminary evaluation of Ni/Cd cells for totally implantable ventricular assist device, 67
role of activation on performance of Fe negative electrode in Ni/Fe cells, 113
Nicotinamide
effect of nicotinamide on charge/discharge behavior of PbO_2 electrode in sulfuric acid solution, 43
para-Nitrotoluene
as depolarizer for Mg batteries, 121

Optimization studies
on Fe/Cr redox flow battery, 147
Oxidizing capability
experimental conditions for preparation of Mn dioxides with high oxidizing capability and high electrochemical reactivity, 349

Phase composition
influence of raw material and production method on morphology, microstructure, chemical and phase composition of tetrabasic Pb sulfate pastes, 59
Phosphoric acid fuel cells
effect of storage conditions on performance of phosphoric acid fuel cells, 239
Photoelectrochemical current
effect of Sb on semiconducting properties of anodic plumbous oxide film formed in sulfuric acid solution; studies of photoelectrochemical current, 233
Plumbous oxide
effect of Sb on semiconducting properties of anodic plumbous oxide film formed in sulfuric acid solution
studies with a.c. impedance, 225
studies of photoelectrochemical current, 233
Polyaniline
all-solid-state Li/polyaniline rechargeable cell, 255
wound-type Li polyaniline secondary cell, 259
Porous structure
correlation between porous structure of separator and barodynamic characteristics of sealed lead/acid accumulators, 179
Positive material
improvement of Li-containing Mn dioxide (composite dimensional Mn oxide: CDMO) as positive material for Li secondary batteries, 51
Production method
influence of raw material and production method on morphology, microstructure, chemical and phase composition of tetrabasic Pb sulfate pastes, 59

Raw material
influence of raw material and production method on morphology, microstructure, chemical and phase com-

position of tetrabasic Pb sulfate pastes, 59

Semiconducting properties
effect of Sb on semiconducting properties of anodic plumbous oxide film formed in sulfuric acid solution studies with a.c. impedance, 225
studies of photoelectrochemical current, 233
Separator
correlation between porous structure of separator and barodynamic characteristics of sealed lead/acid accumulators, 179
Silver oxide
low-Zn-solubility electrodes and electrolytes in Zn/Ag oxide cells, 333
Sodium
increase of stability of Li_xCoO_2 electrodes of cointercalated Na, 313
preparation and electrochemical properties of chromium oxides CrO_x both in Li and Na aprotic electrolytes, 133
Stability
increase of stability of Li_xCoO_2 electrodes of cointercalated Na, 313
State-of-charge
statistical analysis of error function in determination of state-of-charge in lead/acid batteries, 95
Storage conditions
effect of storage conditions on performance of phosphoric acid fuel cells, 239

Temperature effects
microcalorimetric studies on Li thionyl chloride cells; temperature effects between 25 °C and −40 °C, 83
Thermal capacity
bulk thermal capacity determination for Li/BCX and $Li/SOCl_2$ cells, 193
Thionyl chloride
bulk thermal capacity determination for Li/BCX and $Li/SOCl_2$ cells, 193
mechanism of explosions of $Li/SOCl_2$ power sources, 375
microcalorimetric studies on Li thionyl chloride cells; temperature effects between 25 °C and −40 °C, 83
Transition metal sulfides
chemical and electrochemical Li insertion into ternary transition metal sulfides MMo_2S_4 (M: V, Cr, Fe), 299

Vanadium
chemical and electrochemical Li insertion into ternary transition metal sulfides MMo_2S_4 (M: V, Cr, Fe), 299
electrochemical behaviour of V(V)/V(IV) redox couple at graphite electrodes, 1
preparation and evaluation of composite membrane for V redox battery applications, 11
Ventricular assist device
preliminary evaluation of Ni/Cd cells for totally implantable ventricular assist device, 67

Zinc
low-Zn-solubility electrodes and electrolytes in Zn/Ag oxide cells, 333
novel cell; Zn/dichloroisocyanuric acid in aqueous chloride medium, 323
performance of secondary Zn electrodes in modified alkaline electrolytes; galvanostatic passivation studies in alkaline electrolytes, 273